

# Real Farm Research



**Company:** Nachurs  
**Data:** Harvest  
**Test:** Soybean Trial  
**Crop:** Soybeans  
**Year:** 2015  
**Location:** Blue Hill, NE  
**Plot Size:** 4 row, 77.5 ft, 30" rows, 4 replications  
**Previous Crop:** Corn  
**Fertilizer Applied:** NA  
**Tillage Type:** Minimum  
**Irrigation:** Yes, Pivot  
**Herbicide:** Roundup  
**Insecticide:** NA  
**Population:** 160,000  
**Soil:** Silt/Loam

**Planted:** 5/28/2015  
**Harvested:** 10/5/2015

**Variety:** Curry 1252

Range	Row	Plot #	Moisture	Test Weight	Total Plot Weight	Bu/Acre	Entry #	Bu/Acre Average	Yield Rank	(0=0%) (10=100%) Lodging	P=Pivot Notes
1	1	101	8.14	62.75	32.15	<b>63.61</b>				3	
2	1	201	8.15	62.63	32.27	<b>63.84</b>				3	
3	1	301	7.99	62.86	34.30	<b>67.97</b>	<b>1</b>	<b>64.55</b>	<b>2</b>	3	
4	1	401	7.92	62.86	31.66	<b>62.79</b>				3	P
1	2	102	7.90	62.99	37.22	<b>73.81</b>				2	
2	2	202	8.12	62.79	32.89	<b>65.07</b>				2	
3	2	302	7.96	62.89	34.38	<b>68.14</b>	<b>2</b>	<b>68.90</b>	<b>1</b>	3	
4	2	402	8.13	62.76	34.67	<b>68.59</b>				3	P
1	3	103	7.85	63.08	32.53	<b>64.56</b>				2	
2	3	203	7.93	62.87	32.29	<b>64.03</b>				3	
3	3	303	7.95	62.95	31.55	<b>62.53</b>	<b>3</b>	<b>63.31</b>	<b>4</b>	3	
4	3	403	7.71	63.20	31.26	<b>62.13</b>				2	P
1	4	104	8.07	62.91	30.16	<b>59.71</b>				3	P
2	5	205	7.74	63.25	32.82	<b>65.22</b>				2	
3	6	306	7.65	63.38	32.65	<b>64.94</b>	<b>4</b>	<b>63.10</b>	<b>6</b>	3	
4	4	404	6.87	63.98	31.18	<b>62.53</b>				1	P
1	5	105	7.94	63.06	31.10	<b>61.66</b>				3	P
2	6	206	7.79	63.25	32.71	<b>64.96</b>				2	
3	4	304	7.80	63.14	31.96	<b>63.47</b>	<b>5</b>	<b>63.16</b>	<b>5</b>	3	
4	5	405	6.94	63.95	31.21	<b>62.56</b>				1	P
1	6	106	7.84	63.21	33.98	<b>67.44</b>				3	P
2	4	204	7.72	63.26	31.14	<b>61.88</b>				3	
3	5	305	7.73	63.26	32.09	<b>63.77</b>	<b>6</b>	<b>64.48</b>	<b>3</b>	3	
4	6	406	7.35	63.54	32.50	<b>64.84</b>				2	

**Average:** 64.58  
**CV:** 4.6  
**LSD:** 3.5

**1) Standard fertility treatment (check):**

**Nachurs treatment (in-furrow):**

- 2) Rhyzo-Link 3-10-13-1-.1Zn**      2.5 gal/ac + 2.5 gal/ac water
- 3) Nachurs 4-13-17-1**                2.5 gal/ac + 2.5 gal/ac water
- 4) Nachurs 2-6-16**                      2.5 gal/ac + 2.5 gal/ac water

**Nachurs treatment (in-furrow + foliar):**

- 5) Nachurs 2-6-16**                      2.5 gal/ac + 2.5 gal/ac water in-furrow
- fb Rhyzo-Link 0-0-15**                1 gal/ac + 5 gal/ac water at V2-V3

# Real Farm Research



Company: Nachurs  
 Data: Harvest  
 Test: Soybean Trial  
 Crop: Soybeans  
 Year: 2015  
 Location: Blue Hill, NE  
 Plot Size: 4 row, 77.5 ft, 30" rows, 4 replications  
 Previous Crop: Corn  
 Fertilizer Applied: NA  
 Tillage Type: Minimum  
 Irrigation: Yes, Pivot  
 Herbicide: Roundup  
 Insecticide: NA  
 Population: 160,000  
 Soil: Silt/Loam

Planted: 5/28/2015  
 Harvested: 10/5/2015

Variety: Curry 1252

<u>Range</u>	<u>Row</u>	<u>Plot #</u>	<u>Moisture</u>	<u>Test Weight</u>	<u>Total Plot Weight</u>	<u>Bu/Acre</u>	<u>Entry #</u>	<u>Average</u>	<u>Yield Rank</u>	<u>(0=0%) (10=100%) Lodging</u>	<u>P=Pivot Notes</u>
		6)									2.5 gal/ac + 2.5 gal/ac water in-furrow 1 qt/ac with glyphosate at first pass (V2-V3)
		-fb-									Nachurs Finish Line